SKYSOL2 Shape 04 - Pointnose & Acute Edge

Order Form and Product Guide

Customer _____ Tel _____ Order ☐ Quote ☐ Date _____

Address _____ Mobile _____ Project Name _____

_____ Email _____ Project Location _____

1	2	3	4	5	6	7	8	9	10		11		12	13
Blind	Window Location	Fabric	Blind or Recess	Hardware Colour	Blind Type	2 Bar or 3 Bar	3 Bar Cord Quick Tensioners [1]	Stack Position	Fixing position / Reference [2,3]		Manual control options		Powered options [5]	Qty
									Top Of Blind	Bottom Of Blind	Pull Cord Position	Handle Type		
1			Blind ☐ Recess ☐	Beige ☐ White ☐ Graphite ☐	AB (0° - 30°) ☐ DB (30° - 60°) ☐	**3 Bar only on this shape**	Yes ☐ No ☐ **Manual Blinds only**	**Top Stack only on this shape**	**Face fix** **Manual** - HR3 ☐ **Powered** - XL3 ☐ **Recess fix** **Manual** - HR1 ☐ **Powered** - XL1 ☐	FR2C ☐ FR1 ☐	**Not Available on this shape**	Clear (for control rod) ☐ Rod Length (mm) _____ Qty _____ Webbing ☐ Articulating ☐ ***Fixed Handle*** Plastic [3] ☐ *Metal* Nickel ☐ *Metal* Chrome ☐	**Motor Position** Top ☐ Bottom ☐ **Motor Wire exit point** Left ☐ Right ☐ Centre ☐ **Control** Switch constant ☐ Switch ☐ Radio ☐	
2			Blind ☐ Recess ☐	Beige ☐ White ☐ Graphite ☐	AB (0° - 30°) ☐ DB (30° - 60°) ☐	**3 Bar only on this shape**	Yes ☐ No ☐ **Manual Blinds only**	**Top Stack only on this shape**	**Face fix** **Manual** - HR3 ☐ **Powered** - XL3 ☐ **Recess fix** **Manual** - HR1 ☐ **Powered** - XL1 ☐	FR2C ☐ FR1 ☐	**Not Available on this shape**	Clear (for control rod) ☐ Rod Length (mm) _____ Qty _____ Webbing ☐ Articulating ☐ ***Fixed Handle*** Plastic [3] ☐ *Metal* Nickel ☐ *Metal* Chrome ☐	**Motor Position** Top ☐ Bottom ☐ **Motor Wire exit point** Left ☐ Right ☐ Centre ☐ **Control** Switch constant ☐ Switch ☐ Radio ☐	

Dimensions for:
Blind 1 ☐
Blind 2 ☐



Incline 0 45 45 90 90

DIMENSIONS	
A	
B	
C	
D	
E	
F	
G	
H	
I	

Dimensions for:
Blind 1 ☐
Blind 2 ☐

Incline 0 45 45 90 90



DIMENSIONS	
A	
B	
C	
D	
E	
F	
G	
H	
I	

1. Quick Tensioners are fitted to the guide wires on all 3 bar blinds and optional on cords
2. See Manual Fixing Configurations on page 2 and Powered Fixing Configurations on page 3
3. Colour matched to hardware colour.
4. Webbing handles cannot be fitted to Honeycomb blinds.
5. Please fill in a Powered Accessories Custom Order Form

☼ **Acute Edge Recess Deductions**
Powered 5mm [3/16"]
Manual 5mm [3/16"]

Additional requirements.

DOMETIC CHILD SAFE

DOMETIC

© Dometic UK Blind Systems Ltd 2019

SKYSOL2 Shape 04 - Pointnose & Acute Edge

Order Form and Product Guide

Manual Fixing Configurations

Recess Fix



2 BAR RECESS FIXED
BLIND Type:
AO



2 BAR FOOTPLATE RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB



2 BAR DOME RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB



3 BAR RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB

Face Fix



2 BAR FACE FIXED
BLIND Type:
AO



2 BAR FOOTPLATE FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB



2 BAR DOME FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB



3 BAR FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB

© Dometic UK Blind Systems Ltd 2019

SKYSOL2 Shape 04 - Pointnose & Acute Edge

Order Form and Product Guide

Powered Fixing Configurations

Recess Fix



2 BAR RECESS FIXED
BLIND Type:
AO



2 BAR FOOTPLATE
RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,



2 BAR DOME RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,



3 BAR RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB

Face Fix



2 BAR FACE FIXED
BLIND Type:
AO



2 BAR FOOTPLATE FACE FIXED
BLIND Types:
AO-DB, AO-DBE,



2 BAR DOME FACE FIXED
BLIND Types:
AO-DB, AO-DBE,



3 Bar FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB

© Dometic UK Blind Systems Ltd 2019