

SKYSOL2 Shape 05 - Bullnose & Acute Edge

Order Form and Product Guide


Customer _____
Address _____

Tel _____
Mobile _____
Email _____


Order _____ Quote _____ Date _____
Project Name _____
Project Location _____

1	2	3	4	5	6	7	8	9	10		11		12		13
Blind	Window Location	Fabric	Blind or Recess	Hardware Colour	Blind Type	2 Bar or 3 Bar	3 Bar Cord Quick Tensioners ¹	Stack Position	Fixing position / Reference ^{2,3}		Manual control options		Powered options ⁵		Qty
									Top Of Blind	Bottom Of Blind	Pull Cord Position	Handle Type			
1			Blind Recess	Beige White Graphite	AB (0° - 30°) DB (30° - 60°)	3 Bar only on this shape	Yes No Manual Blinds only	Top Stack only on this shape	Face fix Manual - HR3 Powered - XL3	FR2	Not Available on this shape	Clear (for control rod) Rod Length (mm) _____ Qty _____ Webbing Articulating	Motor Position Top Bottom		
	Recess fix Manual - HR1 Powered - XL1	FR1	Fixed Handle Plastic ³ Metal Nickel Metal Chrome	Motor Wire exit point Left Right Centre											
			Control Switch constant Switch Radio												
2			Blind Recess	Beige White Graphite	AB (0° - 30°) DB (30° - 60°)	3 Bar only on this shape	Yes No Manual Blinds only	Top Stack only on this shape	Face fix Manual - HR3 Powered - XL3	FR2	Not Available on this shape	Clear (for control rod) Rod Length (mm) _____ Qty _____ Webbing Articulating	Motor Position Top Bottom		
	Recess fix Manual - HR1 Powered - XL1	FR1	Fixed Handle Plastic ³ Metal Nickel Metal Chrome	Motor Wire exit point Left Right Centre											
			Control Switch constant Switch Radio												

Dimensions for:
Blind 1
Blind 2



Dimensions for:
Blind 1
Blind 2



1. Quick Tensioners are fitted to the guide wires on all 3 bar blinds and optional on cords
2. See Manual Fixing Configurations on [page 2](#) and Powered Fixing Configurations on [page 3](#)
3. Colour matched to hardware colour.
4. Webbing handles cannot be fitted to Honeycomb blinds.
5. Please fill in a Powered Accessories Custom Order Form

☼ **Acute Edge Recess Deductions**
Powered 5mm [3/16"]
Manual 5mm [3/16"]

Additional requirements.




SKYSOL2 Shape 05 - Bullnose & Acute Edge


Order Form and Product Guide

Manual Fixing Configurations


Recess Fix




2 BAR RECESS FIXED
BLIND Type:
AO



2 BAR FOOTPLATE RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




2 BAR DOME RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




3 BAR RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB


Face Fix




2 BAR FACE FIXED
BLIND Type:
AO



2 BAR FOOTPLATE FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB



2 BAR DOME FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




3 BAR FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB

SKYSOL2 Shape 05 - Bullnose & Acute Edge


Order Form and Product Guide

Powered Fixing Configurations


Recess Fix




2 BAR RECESS FIXED
BLIND Type:
A0



2 BAR FOOTPLATE RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,




2 BAR DOME RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,




3 BAR RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,
AB, DB, DBE, PB


Face Fix




2 BAR FACE FIXED
BLIND Type:
A0



2 BAR FOOTPLATE FACE FIXED
BLIND Types:
A0-DB, A0-DBE,



2 BAR DOME FACE FIXED
BLIND Types:
A0-DB, A0-DBE,



3 Bar FACE FIXED
BLIND Types:
A0-DB, A0-DBE,
AB, DB, DBE, PB