

SKYSOL2 Shape 06 - Pointnose & Obtuse Edge

Order Form and Product Guide


Customer _____
 Address _____

Tel _____
 Mobile _____
 Email _____

Order _____
 Quote _____
 Date _____
 Project Name _____
 Project Location _____

1	2	3	4	5	6	7	8	9	10		11		12		13		
Blind	Window Location	Fabric	Blind or Recess	Hardware Colour	Blind Type	2 Bar or 3 Bar	3 Bar Cord Quick Tensioners ¹	Stack Position	Fixing position / Reference ^{2,3}		Manual control options		Powered options ⁵		Qty		
									Top Of Blind	Bottom Of Blind	Pull Cord Position	Handle Type					
1			Blind Recess	Beige White Graphite	AB (0° - 30°) DB (30° - 60°)	3 Bar only on this shape	Yes No Manual Blinds only	Top Stack only on this shape	Face fix Manual - HR3 Powered - XL3	FR2	Not Available on this shape	Clear (for control rod) Rod Length (mm) _____ Qty _____ Webbing Articulating Fixed Handle Plastic ³ Metal Nickel Metal Chrome	Motor Position Top Bottom				
2			Blind Recess	Beige White Graphite	AB (0° - 30°) DB (30° - 60°)	3 Bar only on this shape	Yes No Manual Blinds only	Top Stack only on this shape	Face fix Manual - HR3 Powered - XL3	FR2	Not Available on this shape	Clear (for control rod) Rod Length (mm) _____ Qty _____ Webbing Articulating Fixed Handle Plastic ³ Metal Nickel Metal Chrome	Motor Position Top Bottom				


Dimensions for:
 Blind 1
 Blind 2



DIMENSIONS

A	
B	
C	
D	
E	
F	
G	
H	
I	

Dimensions for:
 Blind 1
 Blind 2



DIMENSIONS

A	
B	
C	
D	
E	
F	
G	
H	
I	

1. Quick Tensioners are fitted to the guide wires on all 3 bar blinds and optional on cords
2. See Manual Fixing Configurations on [page 2](#) and Powered Fixing Configurations on [page 3](#)
3. Colour matched to hardware colour.
4. Webbing handles cannot be fitted to Honeycomb blinds.
5. Please fill in a Powered Accessories Custom Order Form

☼ **Acute Edge Recess Deductions**
 Powered 5mm [3/16"]
 Manual 5mm [3/16"]

Additional requirements.




DOMETIC

SKYSOL2 Shape 06 - Pointnose & Obtuse Edge


Order Form and Product Guide

Manual Fixing Configurations


Recess Fix




2 BAR RECESS FIXED
BLIND Type:
AO



2 BAR FOOTPLATE RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




2 BAR DOME RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




3 BAR RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB


Face Fix




2 BAR FACE FIXED
BLIND Type:
AO



2 BAR FOOTPLATE FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB



2 BAR DOME FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




3 BAR FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB

SKYSOL2 Shape 06 - Pointnose & Obtuse Edge


Order Form and Product Guide

Powered Fixing Configurations


Recess Fix




2 BAR RECESS FIXED
BLIND Type:
A0



2 BAR FOOTPLATE RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,




2 BAR DOME RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,




3 BAR RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,
AB, DB, DBE, PB


Face Fix




2 BAR FACE FIXED
BLIND Type:
A0



2 BAR FOOTPLATE FACE FIXED
BLIND Types:
A0-DB, A0-DBE,



2 BAR DOME FACE FIXED
BLIND Types:
A0-DB, A0-DBE,



3 Bar FACE FIXED
BLIND Types:
A0-DB, A0-DBE,
AB, DB, DBE, PB