

# SKYSOL2 Shape 08 - Single Sided Pointnose



## Order Form and Product Guide

Customer \_\_\_\_\_  
Address \_\_\_\_\_

Tel \_\_\_\_\_  
Mobile \_\_\_\_\_  
Email \_\_\_\_\_

Order \_\_\_\_\_  
Quote \_\_\_\_\_  
Date \_\_\_\_\_  
Project Name \_\_\_\_\_  
Project Location \_\_\_\_\_

| 1     | 2               | 3      | 4               | 5                          | 6                               | 7                        | 8                                        | 9              | 10                                          |                 | 11                          |                                                                                          | 12                                               |  | 13  |
|-------|-----------------|--------|-----------------|----------------------------|---------------------------------|--------------------------|------------------------------------------|----------------|---------------------------------------------|-----------------|-----------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------|--|-----|
| Blind | Window Location | Fabric | Blind or Recess | Hardware Colour            | Blind Type                      | 2 Bar or 3 Bar           | 3 Bar Cord Quick Tensioners <sup>1</sup> | Stack Position | Fixing position / Reference <sup>2,3</sup>  |                 | Manual control options      |                                                                                          | Powered options <sup>5</sup>                     |  | Qty |
|       |                 |        |                 |                            |                                 |                          |                                          |                | Top Of Blind                                | Bottom Of Blind | Pull Cord Position          | Handle Type                                                                              |                                                  |  |     |
| 1     |                 |        | Blind Recess    | Beige<br>White<br>Graphite | AB (0° - 30°)<br>DB (30° - 60°) | 3 Bar only on this shape | Yes<br>No                                | Top<br>Bottom  | Face fix<br>Manual - HR3<br>Powered - XL3   | FR2             | Not Available on this shape | Clear (for control rod)<br>Rod Length (mm) _____<br>Qty _____<br>Webbing<br>Articulating | Motor Position<br>Top      Bottom                |  |     |
|       |                 |        |                 |                            |                                 |                          |                                          |                | Recess fix<br>Manual - HR1<br>Powered - XL1 | FR1             |                             | Fixed Handle<br>Plastic <sup>3</sup><br>Metal/ Nickel<br>Metal Chrome                    | Motor Wire exit point<br>Left    Right    Centre |  |     |
|       |                 |        |                 |                            |                                 |                          |                                          |                |                                             |                 |                             |                                                                                          | Control<br>Switch constant<br>Switch<br>Radio    |  |     |
| 2     |                 |        | Blind Recess    | Beige<br>White<br>Graphite | AB (0° - 30°)<br>DB (30° - 60°) | 3 Bar only on this shape | Yes<br>No                                | Top<br>Bottom  | Face fix<br>Manual - HR3<br>Powered - XL3   | FR2             | Not Available on this shape | Clear (for control rod)<br>Rod Length (mm) _____<br>Qty _____<br>Webbing<br>Articulating | Motor Position<br>Top      Bottom                |  |     |
|       |                 |        |                 |                            |                                 |                          |                                          |                | Recess fix<br>Manual - HR1<br>Powered - XL1 | FR1             |                             | Fixed Handle<br>Plastic <sup>3</sup><br>Metal/ Nickel<br>Metal Chrome                    | Motor Wire exit point<br>Left    Right    Centre |  |     |
|       |                 |        |                 |                            |                                 |                          |                                          |                |                                             |                 |                             |                                                                                          | Control<br>Switch constant<br>Switch<br>Radio    |  |     |



- Quick Tensioners are fitted to the guide wires on all 3 bar blinds and optional on cords
- See Manual Fixing Configurations on [page 2](#) and Powered Fixing Configurations on [page 3](#)
- Colour matched to hardware colour.
- Webbing handles cannot be fitted to Honeycomb blinds.
- Please fill in a Powered Accessories Custom Order Form

☀ **Acute Edge Recess Deductions**  
Powered 5mm [3/16"]  
Manual 5mm [3/16"]

Additional requirements.




# SKYSOL2 Shape 08 - Single Sided Pointnose


## Order Form and Product Guide

### Manual Fixing Configurations


#### Recess Fix




**2 BAR RECESS FIXED**  
BLIND Type:  
AO



**2 BAR FOOTPLATE RECESS FIXED**  
BLIND Types:  
AO-DB, AO-DBE,  
AB, DB, DBE, PB




**2 BAR DOME RECESS FIXED**  
BLIND Types:  
AO-DB, AO-DBE,  
AB, DB, DBE, PB




**3 BAR RECESS FIXED**  
BLIND Types:  
AO-DB, AO-DBE,  
AB, DB, DBE, PB


#### Face Fix




**2 BAR FACE FIXED**  
BLIND Type:  
AO



**2 BAR FOOTPLATE FACE FIXED**  
BLIND Types:  
AO-DB, AO-DBE,  
AB, DB, DBE, PB



**2 BAR DOME FACE FIXED**  
BLIND Types:  
AO-DB, AO-DBE,  
AB, DB, DBE, PB




**3 BAR FACE FIXED**  
BLIND Types:  
AO-DB, AO-DBE,  
AB, DB, DBE, PB

# SKYSOL2 Shape 08 - Single Sided Pointnose


## Order Form and Product Guide

### Powered Fixing Configurations


#### Recess Fix




**2 BAR RECESS FIXED**  
**BLIND Type:**  
**A0**



**2 BAR FOOTPLATE**  
**RECESS FIXED**  
**BLIND Types:**  
**A0-DB, A0-DBE,**




**2 BAR DOME RECESS FIXED**  
**BLIND Types:**  
**A0-DB, A0-DBE,**




**3 BAR RECESS FIXED**  
**BLIND Types:**  
**A0-DB, A0-DBE,**  
**AB, DB, DBE, PB**


#### Face Fix




**2 BAR FACE FIXED**  
**BLIND Type:**  
**A0**



**2 BAR FOOTPLATE FACE FIXED**  
**BLIND Types:**  
**A0-DB, A0-DBE,**



**2 BAR DOME FACE FIXED**  
**BLIND Types:**  
**A0-DB, A0-DBE,**



**3 Bar FACE FIXED**  
**BLIND Types:**  
**A0-DB, A0-DBE,**  
**AB, DB, DBE, PB**