

2018 - 2021

FABRIC COLLECTION

DOMETIC BLINDS FABRIC AND SOFT FURNISHINGS
COLLECTION



ROLLERBLIND

Dometic's range of luxury roller blinds have been designed to optimise and control external light. Adding shade to your yacht's interior both removes any glare from the bright sun and also helps maintain a comfortable, cool temperature. On top of that, you can guarantee your privacy on board while enjoying the stunning views outside.


SHEER FABRICS

Sheer fabrics allow in maximum light, whilst still preserving daytime privacy.

Whilst you are free to choose from Dometics's wide range of professional fabrics, Dometic Blinds' experienced fabric buyers are on hand to source a fabric of your choice. We are equally comfortable working with fabrics sourced and supplied by you.



SUBTLE WHITE
RS5



ARCTIC WHITE
ARC-W



WINTER
RS-WIN




VISION CLAY
RS-VCL



BIRCH
RS-BIR




VISION TAUPE
RS-VTA



SILVER VEIL
RS-SVE




SILVER BICH
RS-SBI



SOFT CHARCOAL
RS-SCH

PRIVACY FABRICS

Also commonly referred to as Dimout, Privacy fabrics allow in a restricted amount of light, whilst ensuring complete privacy, even in the evening.



AVALANCHE
RP2




FINE IVORY
RP-FIV



VISTA WHITE
RP-VWH



HAVEN WHITE
RP-HWH



PARCHMENT
RP-PAR



BRONZE LUSTER
RP-BLU



VISTA SILVER
RP-VSI




HAVEN GREY
RP-HGR




HAVEN SMOKE
RP-HSM

BLACKOUT FABRICS

Blackout fabric completely blocks out sunlight, for complete privacy, room darkening and temperature regulation.




OPACITY WHITE
RB-OWH



WHITE ASPEN
RB-WAS



FLOCK WHITE
FLK-W



FLOCK SAHEL
FLK-SAH



EGGSHELL
RB-EGG




OPACITY TAUPE
RB-OTA



OPACITY SILVER
RB-OSI



IRON ASPEN
RB-IAS



OPACITY SLATE
RB-OSL


ROLLERBLIND SHEER									
TECHNICAL DATA	SUBTLE WHITE RS-S	ARCTIC WHITE ARC-W	WINTER RS-WIN	VISION CLAY RS-VCL	BIRCH RS-BIR	VISION TAUPE RS-VTA	SILVER VEIL RS-SVE	SILVER BIRCH RS-SBI	SOFT CHARCOAL RS-SCH
Fabric Width (mm)	2400	3000	3000	3000	3000	3000	3200	3000	2700
Weight (gsm)	100	430	165	508	185	610	390	185	230
Fabric thickness (mm)	0.28	0.55	0.54	0.65	0.70	0.8	0.5	0.70	0.41
Polyester (%)	100	25	100	20	100	15	–	100	100
PVC (%)	–	75	–	80	–	85	64	–	–
Fibreglass	–	–	–	–	–	–	36	–	–
Light reflection (%)	37	70	50	45	40	33	39	40	9
Light transmission (%)	63	22	40	6	40	5	14	40	1
Light absorption (%)	0	8	10	51	20	62	47	20	90
Fire retardant	None	BS 5867 (Part 2, Type B)	AS1530.3	IMO	AS1530.3	IMO	IMO	AS1530.3	M1
Cupping	Ω	Ω	Ω	Ω	Ω	Ω	Ω	Ω	Ω
Aspect ratio	*	*	*	*	*	*	¥	*	*
Rail roading	No	*	No	≠	No	≠	≠	No	No

ROLLERBLIND PRIVACY									
TECHNICAL DATA	AVALANCHE RP2	FINE IVORY RP-FIV	VISTA WHITE RP-VWH	HAVEN WHITE RP-HWH	PARCHMENT RP-PAR	BRONZE LUSTER RP-BLU	VISTA SILVER RP-VSI	HAVEN GREY RP-HGR	HAVEN SMOKE RP-HSM
Fabric Width (mm)	2350	3000	3000	3000	2700	3000	3000	3000	3000
Weight (gsm)	220	500	160	230	230	260	160	230	230
Fabric thickness (mm)	0.4	0.63	0.70	0.38	0.41	0.45	0.70	0.38	0.38
Polyester (%)	100	22	80	100	100	100	80	100	100
PVC (%)	–	78	–	–	–	–	–	–	–
Cotton (%)	–		20	–	–	–	20	–	–
Light reflection (%)	55	73	45	67	45	34	50	38	10
Light transmission (%)	40	14	35	23	11	20	40	1	0
Light absorption (%)	5	13	20	10	44	46	10	61	90
Fire retardant	M1	BS 5867 (Part 2 Type B)	None	IMO	B1, M1	BS 5867 (Part 2 Type B)	None	IMO	IMO
Cupping	*	Ω	Ω	Ω	Ω	Ω	Ω	Ω	Ω
Aspect ratio	*	*	*	*	*	*	*	*	*
Rail roading	0	*	No	≠	No	*	No	≠	≠

ROLLERBLIND BLACKOUT TECHNICAL DATA	OPACITY WHITE RB-OWH	WHITE ASPEN RB-WAS	FLOCK WHITE FLK-W	FLOCK SAHEL FLK-SAH	EGGSHELL RB-EGG	OPACITY TAUPE RB-OTA	OPACITY SILVER RB-OSI	IRON ASPEN RB-IAS	OPACITY SLATE RB-OSL
Fabric Width (mm)	3000	3000	2400	2400	2500	3000	3000	3000	3000
Weight (gsm)	400	450	500	500	650	400	400	450	400
Fabric thickness (mm)	0.38	0.70	0.47	0.47	0.55	0.38	0.38	0.70	0.38
Polyester (%)	100	100	–	–	–	100	100	100	100
Fibreglass (%)	–	–	100	100	100	–	–	–	–
Light reflection (%)	83	82	70	67	67	83	83	82	83
Light transmission (%)	0	0	0	0	0	0	0	0	0
Light absorption (%)	17	18	30	33	33	17	17	18	17
Fire retardant	None	None	BS 476 Pt 6 Class 0	BS 476 Pt 6 Class 0	M1	None	None	None	None
Cupping	Ω	Ω	ℏ	ℏ	ℏ	Ω	Ω	Ω	Ω
Aspect ratio	*	*	¥	¥	¥	*	*	*	*
Rail roading	no	No	≠	≠	≠	No	No	No	no

ℏ No cupping (does not apply to rail roaded blinds)
 Ω ←20mm + 0.5% tolerance. For all other fabrics, seek technical advice.
 ≠ Suitable for rail roading, (change of orientation) cupping tolerances subject to increase.

¥ Fabrics with an aspect ratio of 4:1. For all other fabrics, seek techincal advice.
 * Suitability dependant on product and dimensions. Seek Dometic techincal advice.




SKYVIEW

Skyview offers the functionality and tilt control of a venetian blind with the simplicity of a roller blind. The blind can be completely stowed out of sight onto a single roller. When deployed it ensures privacy and heat protection. The open tilt allows for perfect views and light control.

CONTRACT SHEERS

A collection of contract fabrics, ideal for cruise liners, hotels, commercial vessels and properties.



WHITE
SVW



BEIGE
SVB

DESIGNER INSPIRED

2" Vane

A selection of our most popular fabrics. Skyview offers pristine views when at open tilt, and complete privacy at closed tilt.



POWDER - LIGHT FILTERING
POW



CUMULOUS - LIGHT FILTERING
CUM



MOONDANCE - ROOM DARKENING
MOO

WARM VANE

2 1/2" Vane

Contemporary 2.5" fabrics with a warm undertone, to bring a soft glow to the room. Our Room Darkening fabric offers an extra level of sun protection and privacy when at closed tilt.



TEA LIGHT - LIGHT FILTERING
TEA



BISCUIT - LIGHT FILTERING
BIS



POTTER'S WHEEL - ROOM DARKENING
POT

COOL

2 1/2" Vane

Clean and crisp, the Cool selection of fabrics is perfect for the most modern spaces. Our Room Darkening fabric offers an extra level of sun protection and privacy when at closed tilt.



PORCELAIN - LIGHT FILTERING
POR



PRISTINE - LIGHT FILTERING
PRI



SHIMMER - ROOM DARKENING
SHI

SKYVIEW					
TECHNICAL DATA	WHITE SVW	BEIGE SVB	POWDER POW	CUMULOUS CUM	MOONDANCE MOO
Fabric width (mm)	2850	2850	3000	3000	3000
Weight (gsm)	230	230	152	152	152
Vane size (mm)	55	55	40	40	40
Polyester %	100	100	100	100	–
Laminated polyester/ aluminium composite %	–	–	–	–	100
UV blockage % (vanes open)	75	75	87	87	88
UV blockage % (vanes closed)	85	85	99	99	99

SKYVIEW						
TECHNICAL DATA	TEA LIGHT TEA	BISCUIT BIS	POTTER'S WHEEL POT	PORCELAIN POR	PRISTINE PRI	SHIMMER SHI
Fabric width (mm)	3000	3000	3000	3000	3000	3000
Weight (gsm)	152	152	152	152	152	152
Vane size (mm)	60	60	60	60	60	60
Polyester %	100	100	100	100	100	100
UV blockage % (vanes open)	87	87	87	87	87	87
UV blockage % (vanes closed)	99	99	99	99	99	99



SOFT FURNISHINGS

Our fully customisable blinds can cater to your every wish. Whilst you are free to choose any fabric for your blinds, our team can also make a recommendation from a thoroughly tested selection of fabrics. Choose from our standard collection for your convenience.

NATURAL

Our delicate collection of whites and creams have been chosen to bring softness to any space. These fabrics are elegant and subtle, standing strong as individual designs or equally beautiful when schemed together.



FONDANT
SFN-FO



SNOW WHITE
SFN4



CASHMERE
SFN-CA



WHITE HORSES
SFN-WH



IVORY RIPPLE
SF-IR



COTTON
SFN-CO



DUNE
SFN6



ABACUS
SFN-AB

DESIGNER INSPIRED

These statement fabrics are suited to large scale applications, chosen for their dramatic designs in subtle tonal colours. Match with our core Natural collection for a touch of sophistication.

Selected fabrics are available with additional fire retardant treatment, please refer to the technical table for more information.



OYSTER SHELL
SFN-OS



FRAGMENT
SFN-FG

SOFT FURNISHINGS					
TECHNICAL DATA	FONDANT SFN-FO	SNOW WHITE SFN4	CASHMERE SFN-CA	WHITE HORSES SFN-WH	IVORY RIPPLE SFN-IR
Fabric Width (mm)	1420	1460	1430	1380	1380
Weight (gsm)	266	356	268	275	270
Vertical Pattern Repeat (mm)	5	0	0	334	0
Polyester (%)	100	95	100	46	46
Cotton (%)	–	–	–	54	54
Linen (%)	–	5	–	–	–
FR Tested	Yes	No	No	No	No
FR Classification Available	BS5867 part 2 type B	–	–	–	–

Our Soft Furnishing fabrics are not FR treated as standard, but FR treatment is available on request, to the classification as stated above.
All fabrics can be treated and tested on request.

SOFT FURNISHINGS					
TECHNICAL DATA	COTTON SFN-CO	DUNE SFN6	ABACUS SFN-AB	OYSTER SHELL SFN-OS	FRAGMENT SFN-FG
Fabric Width (mm)	1390	1460	1380	3100	3060
Weight (gsm)	398	356	410	162	253
Vertical Pattern Repeat (mm)	20	0	0	173	346
Polyester (%)	100	95	100	76	71
Cotton (%)	–	–	–	24	29
Linen (%)	–	5	–	–	–
FR Tested	Yes	No	No	No	No
FR Classification Available	BS5867 part 2 type B	–	–	–	–

Our Soft Furnishing fabrics are not FR treated as standard, but FR treatment is available on request, to the classification as stated above.
All fabrics can be treated and tested on request.

GRANITE

A collection of grey tones in a variety of textures, from digital printed styles to contemporary stripes.



FOSSIL
SFG-FS



PEBBLE GREY
SFG-PG



HUMBUG
SFG-HU



SLATE
SFG-SL



FLINT
SFG-SL



CARBON HAZE
GSFG-CH



MOON ROCK
SFG-MR



BOWLER HAT
SFG-BH

DESIGNER INSPIRED

Two exclusive fabrics selected to compliment the core Granite range. These designs can be used as a statement or feature within the room.



SHARD
SFG-SH



SKYRISE
SFG-SK

SOFT FURNISHINGS					
TECHNICAL DATA	FOSSIL SFG-FS	PEBBLE GREY SFG-PG	HUMBUG SFG-HU	SLATE SFG-SL	FLINT SFG-FL
Fabric Width (mm)	1400	1400	3040	1460	1430
Weight (gsm)	332	386	116	356	268
Vertical Pattern Repeat (mm)	0	0	0	0	0
Polyester (%)	–	67	100	95	100
Digitally Printed Polyester (%)	100	–	–	–	–
Cotton (%)	–	33	–	–	–
Linen (%)	–	–	–	5	–
FR Tested	No	No	No	No	No
FR Classification Available	–	–	–	–	–

Our Soft Furnishing fabrics are not FR treated as standard, but FR treatment is available on request, to the classification as stated above. All fabrics can be treated and tested on request.

SOFT FURNISHINGS					
TECHNICAL DATA	CARBON HAZE SFG-CH	MOON ROCK SFG-MR	BOWLER HAT SFG-BH	SHARD SFG-SH	SKYRISE SFG-SK
Fabric Width (mm)	1420	1380	3040	3060	1380
Weight (gsm)	266	410	116	253	275
Vertical Pattern Repeat (mm)	5	0	0	346	334
Polyester (%)	100	100	100	71	46
Digitally Printed Polyester (%)	–	–	–	–	54
Cotton (%)	–	–	–	29	–
Linen (%)	–	–	–	–	–
FR Tested	Yes	No	No	No	No
FR Classification Available	BS5867 part 2 type B	–	–	–	–

Our Soft Furnishing fabrics are not FR treated as standard, but FR treatment is available on request, to the classification as stated above. All fabrics can be treated and tested on request.

EARTH

Inspired by the hues of nature, our Earth collection adds warmth to the space. Choose two or three styles to create depth of texture within a room set.



GOLD LEAF
SFE-GL



SEAGRASS
SFE-SG



HONEYPOT
SFE-HP



TOAST
SFE-TO



HAZEL
SFE-HA



SHINGLE
SFE5



MEDALLION
SFE-ME



CREAM TEA
SFE-CT

DESIGNER INSPIRED

Two digitally printed designs chosen to contrast with the core Earth range. These designs can be used as a statement or feature within the room.



CRACKED PEPPER
SFE-CP



MINK
SFE-MI

SOFT FURNISHINGS					
TECHNICAL DATA	GOLD LEAF SFE-GL	SEAGRASS SFE-SG	HONEY POT SFE-HP	TOAST SFE-TO	HAZEL SFE-HA
Fabric Width (mm)	1380	1430	1380	1400	1400
Weight (gsm)	270	268	275	352	386
Vertical Pattern Repeat (mm)	0	0	334	0	0
Polyester (%)	46	100	46	–	67
Digitally Printed Polyester (%)	–	–	–	100	–
Cotton (%)	54	–	54	–	33
Linen (%)	–	–	–	–	–
FR Tested	No	No	No	No	No
FR Classification Available	–	–	–	–	–

Our Soft Furnishing fabrics are not FR treated as standard, but FR treatment is available on request, to the classification as stated above.
All fabrics can be treated and tested on request.

SOFT FURNISHINGS					
TECHNICAL DATA	SHINGLE SFE-S	MEDALLION SFE-ME	CREAM TEA SFE-CT	CRACKED PEPPER SFE-CP	MINK SFE-MI
Fabric Width (mm)	1460	1390	3040	1400	1400
Weight (gsm)	356	398	116	351	294
Vertical Pattern Repeat (mm)	0	20	0	0	0
Polyester (%)	95	100	100	–	–
Digitally Printed Polyester (%)	–	–	–	100	100
Cotton (%)	–	–	–	–	–
Linen (%)	5	–	–	–	–
FR Tested	No	Yes	No	No	No
FR Classification Available	–	BS5867 part 2 type B	–	–	–

Our Soft Furnishing fabrics are not FR treated as standard, but FR treatment is available on request, to the classification as stated above.
All fabrics can be treated and tested on request.

COOL & WARM

All of our sheer fabrics are suitable for use on curtains and Romanblinds. The nature of these fabrics allows for soft diffusion of light into the interior space, which is aesthetically pleasing, while offering some privacy.



WHITE HORIZON
SSH-WH



PURE WHITE
SSH-PW



PEWTER
SSH-PE



IRON MIST
SSH-IM



LINEN
SSH-LI



LUSTER
SSH-LU



FAWN
SSH-FW



NUDE
SSH-NU

SOFT FURNISHINGS								
TECHNICAL DATA	WHITE HORIZON SSH-WH	PURE WHITE SSH-PW	PEWTER SSH-PE	IRON MIST SSH-IM	LINEN SSH-LI	LUSTER SSH-LU	FAWN SSH-FW	NUDE SSH-NU
Fabric Width (mm)	3000	3000	3000	3000	3000	3000	3000	3000
Polyester (%)	100	100	100	100	100	100	100	100
Fire Retardant	M1, IMO	BS 5867 Part 2 Type B & C	BS 5867 Part 2 Type B	BS 5867 Part 2 Type B	M1, IMO	BS 5876 Part 2 Type B	BS 5867 Part 2 Type B	M1, IMO



SKYVENETIAN LEATHER

Classic in design but contemporary in look, venetian blinds enable light control and privacy on board, while also allowing you to enjoy the view outside! Our venetian blinds can be completely customised to meet your style needs, incorporating a range of materials from durable aluminium to soft-to-touch leather. How will you customise your Sky venetian blind?

PLAIN

FAUX LEATHER

A collection of subtle faux leathers, durable and indistinguishable from Real Leather when wrapped around our Venetian Slats.



SNOW
FLP-SNO



PEARL GREY
FLP-PGR



GRAPHITE
FLP-GRA



BONE
FLP-BON



BUTTERSCOTCH
FLP-BUT



WALNUT
FLP-WAL

TEXTURED

FAUX LEATHER

Our textured collection offers more interest to the fabric, giving a richer finish to the finished blind.



WHITE
FLT2



CLOUD
FLT-CLO



NUIT
FLT7



OFF WHITE
FLT3



CASHEW
FLT-CAS



COCOA
FLT-COC

DESIGNER INSPIRED

FAUX LEATHER

Hand wrapped around either Aluminium or Wood, these exciting new textures have been chosen to add a little extra to our exquisitely made Venetian blinds.



OSTRICH PEARL
DL-OPE



SUEDE CHARCOAL
DL-SCH



CHINCHILLA ONYX
DL-CON



TAIPAN NATURAL
DL-TNA



SUEDE TAUPE
DL-STA



LIZARD GOLD
DL-LGO

REAL LEATHER


For the most exclusive of applications, real leather offers a finish like no other, soft to the eye and to the touch, each slat will be unique in finish.



DOVE
RL-DOV



HIGHLAND
RL-HIG



PEWTER
RL-PEW



SIENNA
RL-SIE



FONCE
RL4

SUBSTRATE

STITCHING COLOURS

Dometic will match your chosen leather to the most suitable stitching thread. We can provide stitch samples on request should you require a contrast stitch colour.



WOOD



ALLOY

SKYVENETIAN LEATHER					
TECHNICAL DATA	REAL LEATHER		FAUX LEATHER PLAIN	FAUX LEATHER TEXTURED	FAUX LEATHER DESIGNER INSPIRED
Average hide size (m ²)	4.5	Fabric width (mm)	2700	2700	1370
Thickness (mm)	1	Max area manual (sqm) ³	1.8	1.8	1.8
Max area manual (sqm) ¹	1.8	Max area powered (sqm) ³	6.5	6.5	6.5
Max area powered (sqm) ¹	2.5	Alloy slat thickness (mm)	3	3	3
Alloy slat thickness (mm)	3	Alloy slat widths available (mm)	50 ⁴ , 65, 70	50 ⁴ , 65, 70	50 ⁴ , 65, 70
Alloy slat widths available (mm)	50 ² , 65, 70	Wood slat thickness (mm)	5	5	5
Wood slat thickness (mm)	5	Wood slat widths available (mm)	35 ⁴ , 50, 70	35 ⁴ , 50, 70	35 ⁴ , 50, 70
Wood slat widths available (mm)	35 ² , 50, 70	Fire retardant 	IMO A.6252 (16) Annex 1,8,2 and 8.3		Not as standard
Fire retardant 	Optional	Finishes	ProProtect	ProProtect	–
		Composition	100% Polyester	100% Polyester	100% Polyester

1 Max area of blind (multiply width by drop)

2 Ferrules are not available with this slat size

Leather is a natural product and the uniqueness of each hide is identified on occasion by growth lines, scars and other natural marks which add to the beauty of leather and should not be regarded as a defect.

3 Max area of blind (multiply width by drop)

4 Ferrules are not available with this slat size



SKYVENETIAN ALLOY

Classic in design but contemporary in look, venetian blinds enable light control and privacy on board, while also allowing you to enjoy the view outside! Our venetian blinds can be completely customised to meet your style needs, incorporating a range of materials from durable aluminium to soft-to-touch leather. How will you customise your Sky venetian blind?

ALLOY

A contemporary slat range, precision cut for a flawless finish. Each slat has been heat treated and curved for best in class durability and a small stack height.



MATTE BLACK

MB 15, 25, 50MM



GOLD BULLION

GB 16,25,50MM



SILVER BULLION

SB 16,25,50MM



BASALT

BA 16,25,50MM



SOFT CLAY

SC 16,25,50MM



PEARL

PL 16,25,50MM



CONCRETE

CO 16,25,50MM



BLUSH

BH 16,25,50MM



BRUSHED WHITE

BW 16,25,50MM

ALLOY

A contemporary slat range, precision cut for a flawless finish. Each slat has been heat treated and curved for best in class durability and a small stack height.

**MATTE SILVER**

MS 16,25,50MM

**PETAL**

PT 16,25,50MM

**POWDER**

PW 16,25,50MM

**SILVER**

SO 16,25,50MM

**CHANTILLY**

CT 16,25,50MM

**BIANO**

BI 16,25,50MM

SKYVENETIAN ALLOY			
TECHNICAL DATA	16MM SLAT WIDTH	25MM SLAT WIDTH	50MM SLAT ² WIDTH
Slat thickness (mm)	0.16	0.21	0.21
Max area manual ¹	6 sqm	6 sqm	5.6 sqm
Max area powered ¹	N/A	10 sqm	17 sqm
Max width (mm)	2700	3000	3000

¹ Max area of blind (multiply width by drop) – Powered operation is recommended for blinds that exceed 2.4m² (weighing over 6kg).

N.B. Max area of powered blind is with a Somfy Sonesse 40 motor.

² Available on application, lead-times may vary.



SKYVENETIAN WOOD

Classic in design but contemporary in look, venetian blinds enable light control and privacy on board, while also allowing you to enjoy the view outside! Our venetian blinds can be completely customised to meet your style needs, incorporating a range of materials from durable aluminium to soft-to-touch leather. How will you customise your Sky venetian blind?

DESIGNER INSPIRED

Influenced by global fashions, this snapshot selection of woods showcases what design has to offer in terms of contemporary texture and finish.



DARK BAMBOO
DN-DBA 25,50MM



ROSEWOOD GLOSS
DN50-RGL 50MM



FROSTED SHELL
DN50-PUFS 50MM



HORIZON SMOKE
DN50-HSM 50MM



FROSTED TAUPE
DN50-FTA 50MM



COTTON STRIPE OAK
DN50-CSO 50MM

CLASSIC

Warm

A collection of our bestselling woods; choose from a Warm or Cool palette to suit any interior.



EUROPEAN WALNUT

EW 25,50MM



AMERICAN WALNUT

AW 25,50MM



OAK

OA 25,50MM



RED MAHOGANY

RM 25,50MM



CHERRY

CH 25,50MM



HONEY OAK

HO 25,50MM

CLASSIC

Cool

A collection of our bestselling woods; choose from a Warm or Cool palette to suit any interior.



EBONY

EB 25,50MM



SMOKE

SM 25,50MM



CLOUDY DAY

CD 25,50MM



TWINE

TW 25,50MM



OFF WHITE

OW 25,50MM



WHITE

W 25,50MM

SKYVENETIAN CLASSIC WOOD	25MM SLAT WIDTH	50MM SLAT WIDTH
TECHNICAL DATA		
Max width (mm)	2400	2400
Slat thickness (mm)	2.4	2.8
Max area manual (m ²) ¹	3.6	3.2
Max area powered (m ²) ¹	12.4	10.9


¹ Max area of blind (multiply width by drop) – Powered operation is recommended for blinds that exceed 6kg. N.B. Max area of powered blind is with a Somfy Sonesse 40 motor.
Classic slats are stocked, Classic price list applies.
Wood is a natural product. Slat colours and wood grain may vary from batch to batch and from those shown in this document.

SKYVENETIAN DESIGNER INSPIRED	DARK BAMBOO DN25/50-DBA	ROSEWOOD GLOSS DN50-RGL	FROSTED SHELL DN50-PUFS	HORIZON SMOKE DN50-HSM	FROSTED TAUPE DN50-FTA	COTTON STRIPE OAK DN50-CSO
TECHNICAL DATA						
25mm slat width						
Max width (mm)	1820	n/a	n/a	n/a	n/a	n/a
Slat thickness (mm)	2	n/a	n/a	n/a	n/a	n/a
Max area manual (m ²) ¹	3.2	n/a	n/a	n/a	n/a	n/a
Max area powered (m ²) ¹	13.5	n/a	n/a	n/a	n/a	n/a
50mm slat width						
Max width (mm)	2440	2440	2740	2740	2740	2440
Slat thickness (mm)	2	3	2.8	2.8	2.8	3
Max area manual (m ²) ¹	3	2.8	3.2	3.2	3.2	2.8
Max area powered (m ²) ¹	9.9	9.6	10.9	10.9	10.9	9.6


¹ Max area of blind (multiply width by drop) – Powered operation is recommended for blinds that exceed 6kg.
N.B. Max area of powered blind is with a Somfy Sonesse 40 motor.
Designer slats are priced on application, lead-times may vary.

ALLOY & WOOD SHAPING


Skyvenetian blinds can come in a variety of shaped options, handmade to suit any interior environment. Below are some of the standard options available, please enquire with Dometic Blinds for other, more complex shape options.




SHAPE 01



SHAPE 02




SHAPE 03




SHAPE 04




SHAPE 05




SHAPE 06



SHAPE 07



SHAPE 08





SKYSCREEN & SKYSHADE

Keep your cabin cool, your eyes free from glare and your skin protected from those annoying insects with the Dometic Oceanair Skyscreen & Skyshades. Options range from quick, retrofit solutions to discrete tailored blinds which subtly blend into the interior of your boat.

ROLLER FABRICS

Our specially selected roller fabrics have been tested for the marine environment. The thinner nature of these fabrics is perfectly suited to our SKYSCREEN and SKYSHADE products.



SOLAR WHITE
SLR-W



IMAGINE SHADOW
IMA-SHA



SOLAR BEIGE
SLR-B



IMAGINE SAND
IMA-SND



IMAGINE SLATE
IMG-SLT




FLYSCREEN
FLY-BLACK / WHITE

SKYSCREEN PLEATED

Introducing our premium 15mm Pleated style fabrics, selected for use in the SKYSCREEN PLEATED range for a complete blackout experience. These single pleat fabrics are available as standard.



FLOW WHITE
FLW-W



FLOW BEIGE
FLW-B

SKYSOL PLEATED

Three contemporary colours for use on our popular SKYSOL Pleatedshade. This product adds a softness to the room, while allowing light to filter into the space.



CANADA WHITE
CAN-W



CANADA CREME
CAN-CM



CANADA SILVER
CAN-SI

SKYSCREEN HONEYCOMB

Dometic's premium 15mm Honeycomb style fabrics are ideal for use in SKYSCREEN PLEATED for a complete blackout finish. These double pleat fabrics are available as standard.



HIVE WHITE
H15-BWH



HIVE BEIGE
H15-BBE

SKYSCREEN & SKYSHADE						
TECHNICAL DATA	SOLAR WHITE SLR-W	SOLAR BEIGE SLR-B	IMAGINE SAND IMA-SND	IMAGINE SHADOW IMA-SHA	IMAGINE SLATE IMA-SLT	FLYSCREEN FLY
Fabric Width (mm)	1950	1950	2900	2900	2900	2400
Weight (gsm)	300	300	346	346	346	125
Fabric thickness (mm)	0.35	0.35	0.37	0.37	0.37	0.3
Polyester (%)	100	100	100	100	100	64
Fibreglass (%)	–	–	–	–	–	36
Light Reflection (%)	75	75	69	70	70	0
Light transmission (%)	0	0	0	0	0	100
Light Absorbstion (%)	25	25	31	30	30	0
Fire Retardant	None	None	EN 13501-1:2007	EN 13501-1:2007	EN 13501-1:2007	None

SKYSCREEN PLEATED & PLEATED SHADE								
TECHNICAL DATA	HIVE WHITE HT5-BWH	HIVE BEIGE HT5-BBE	FLOW WHITE FLW-W	FLOW BEIGE FLW-B	PLEATED FLYSCREEN FLYSCREEN	MELODY WHITE PLSF-MW	MELODY CREME PLSF-MC	MELODY SILVER PLSF-MS
Fabric Width (mm)	3000	3000	1070	1070	2950	2130	2130	2130
Weight (gsm)	220	220	105	105	67	260	260	260
Pleat Size (mm)	15	15	15	15	15	25	25	25
Polyester (%)	100	100	100	100	100	100	100	100
Light Reflection (%)	67	67	90	90	0	–	–	–
Light transmission (%)	0	0	0	0	100	–	–	–
Light Absorbstion (%)	33	33	10	10	0	–	–	–
Fire Retardant	None	None	None	None	None	None	None	None
Blackout Lining	n/a	n/a	n/a	n/a	n/a	Optional	Optional	Optional
Shaping	None	None	None	None	None	Simple with conditions	Simple with conditions	Simple with conditions



SKYSOL CLASSIC

The Skysol range offers solutions for every application, including: inclines, complex shaped windows and even curved doors. Our classic pleated and honeycomb fabrics give a range of light control types, choose blackout for a good night's sleep, or sheer to create a relaxed ambience and cooler environment during daylight hours.

SHEER

Sheer fabrics allow in maximum amount of light, whilst preserving day time privacy.



HORIZON
227-0204



HORIZON
227-0249



CIRRUS WHITE
VO2-V004



CIRRUS CUSTARD
V02-V001



ETAMINE COTTON
V03-V005



CANVAS SILVER
PBS-CSI



CIRRUS PEWTER
V01-V003



ETAMINE PEWTER
PBS-EPW

PRIVACY

Privacy fabrics allow restricted light flow, whilst ensuring privacy, even in the evening, ideal for creating that much desired ambience



UNO
520-0204



ELEVATE WHITE
PBP-ELW



ELEVATE PAPYRUS
PBP-EPA



LATICE CREME
PBP-LCR



REFRAINE OYSTER
PBP-ROY



ELEVATE CREME
PBP-ECR



ELEVATE BEIGE
PBP-ELB



ELEVATE SILVER
PBP-ELS



ELEVATE GREY
PBP-ELG

BLACKOUT

Blackout fabric blocks out sunlight, for complete privacy, room darkening and temperature control.



AURA SWAN
PBP-ASW



CALICO
SB9



WHITE
SB7




ECRU
SB1



SILVER
SB3



AURA ELEPHANT
PBP-AEL



GREY
SB8




AURA PANTHER
PBB-APA


SKYSOL CLASSIC SHAPING

A unique range of fabrics, optimised for shaped windows. A Dometic hinge system facilitates shaping by smoothing the fabric over a jointed rail. It also permits blinds to be tucked up behind valances and/or recesses, allowing for a completely clear aperture.

COMPLEX SHAPES



SIMPLE SHAPES



NOT SUITABLE FOR SHAPING



HONEYCOMB

Honeycomb fabrics feature a unique honeycomb construction. Trapped air within each cell provides effective insulation and an acoustic barrier, helping to keep you cool in summer and warm in the winter.



WHITE
H25-PWH: PRIVACY FABRIC



BEIGE
H25-PBE: PRIVACY FABRIC



FAWN
H25-PFA: PRIVACY FABRIC



SILVER
H25-PSI: PRIVACY FABRIC



TAUPE
H25-PTA: PRIVACY FABRIC



WHITE
H25-BWH: BLACKOUT FABRIC



STONE
H25-BST: BLACKOUT FABRIC



SILVER
H25-BSI: BLACKOUT FABRIC



CONCRETE
H25-BCO: BLACKOUT FABRIC



BLACK
H25-BW: BLACKOUT FABRIC

SKYSOL SHEER								
TECHNICAL DATA	HORIZON 227-0204	HORIZON 227-0249	CIRRUS WHITE V02-V004	CIRRUS CUSTARD V02-V001	ETAMINE COTTON V03-V005	CANVAS SILVER PBS-CSI	CIRRUS PEWTER V02-V003	ETAMINE PEWTER PBS-EPW
Max width (mm)	2350	2350	1980	1980	1980	200	1980	1980
Weight (gsm)	76	76	86	86	86	145	86	86
Pleat size (mm)	20	20	20	20	20	20	20	20
Polyester %	100	100	100	100	100	100	100	100
Linen %	–	–	–	–	–	–	–	–
Light reflection %	43	42	50	41	37	35	19	27
Light transmission %	56	57	48	44	48	34	21	36
Light absorption %	1	1	2	15	15	31	60	37
Fire retardant 	None	None	M1	M1	None	None	None	None
Shaping								

SKYSOL PRIVACY									
TECHNICAL DATA	UNO 520-0204	ELEVATE WHITE PBP-ELW	ELEVATE PAPYRUS PBP-EPA	LATICE CREME PBP-LCR	REFARIN OYSTER PBP-ROY	ELEVATE CREME PBP-ECR	ELEVATE BEIGE PBP-ELB	ELEVATE SILVER PBP-ELS	ELEVATE GREY PBP-ELG
Max width (mm)	2400	1800	1800	2100	2260	1800	1800	1800	1800
Weight (gsm)	83	105	105	120	160	105	105	105	105
Pleat size (mm)	20	20	20	20	20	20	20	20	20
Polyester %	100	100	100	100	100	100	100	100	100
Light reflection %	44	55	55	64	49	46	55	41	41
Light transmission %	54	42	35	28	28	45	15	5	5
Light absorption %	2	3	10	8	23	9	30	54	54
Fire retardant 	None	None	None	BS5867 - 2, Type B: 2008	None	None	None	None	None
Shaping				 *					

* Slight creasing on bottom pleat on complex shapes

SKYSOL BLACKOUT ¹								
TECHNICAL DATA	AURA SWAN PBP-ASW	CALICO SB9	WHITE SB7	ECRU SB1	SILVER SB3	AURA ELEPHANT PBP-AEL	GREY SB8	AURA PANTHER PBP-APA
Max width (mm)	2100	2000	2000	2000	2000	2100	2000	2100
Weight (gsm)	157	205	205	205	205	157	205	157
Pleat size (mm)	20	20	20	20	20	20	20	20
Polyester %	100	100	100	100	100	100	100	100
Light reflection %	75	83	83	83	83	75	83	75
Light transmission %	0	0	0	0	0	0	0	0
Light absorption %	25	17	17	17	17	25	17	25
Fire retardant 	None	None	None	None	None	None	None	None
Shaping								

 Not suitable for shaping.  Suitable for simple shapes.  Suitable for simple shapes that do not require a hinge or edge guidewire.  Suitable for complex shapes.

¹ The term 'Blackout' is defined within the industry as exhibiting '0% Light Transmission' according to DIN EN 410 or similar standards. This relates to how well the fabric absorbs or reflects light across the electromagnetic spectrum, including the visible range (typically 380–780nm). However, it does not necessarily imply zero 'light spots'.

HONEYCOMB PRIVACY TECHNICAL DATA	WHITE H25-PWH	BEIGE H25-PBE	FAWN H25-PFA	SILVER H25-PSI	TALUPE H25-PTA
Fabric width (mm)	3000	3000	3000	3000	3000
Weight (gsm)	170	170	170	170	170
Pleat size (mm)	25	25	25	25	25
Polyester %	100%	100%	100%	100%	100%
Light reflection %	60	60	60	60	60
Light transmission %	30	30	30	30	30
Light absorption %	10	10	10	10	10
Fire retardant	None	None	None	None	None

HONEYCOMB PRIVACY TECHNICAL DATA	WHITE H25-BWH	STONE H25-BST	SILVER H25-BSI	CONCRETE H25-BCO	BLACK FB02-BW
Fabric width (mm)	3000	3000	3000	3000	3000
Weight (gsm)	220	220	220	220	220
Pleat size (mm)	25	25	25	25	25
Polyester %	100%	100%	100%	100%	100%
Light reflection %	97	97	97	97	97
Light transmission %	0	0	0	0	0
Light absorption %	3	3	3	3	3
Fire retardant	None	None	None	None	None

Dometic can also provide fabrics in 32mm pleat on request.

The term 'Blackout' is defined within the industry as exhibiting '0% Light Transmission' according to DIN EN 410 or similar standards. This relates to how well the fabric absorbs or reflects light across the electromagnetic spectrum, including the visible range (typically 380–780nm). However, it does not necessarily imply zero 'light spots'.

AUSTRALIA
DOMETIC AUSTRALIA PTY. LTD.

1 John Duncan Court
Varsity Lakes QLD 4227
Tel +61 7 55076000
Mail sales@dometic-waeco.com.au

AUSTRIA
HERMAN GOTTHARDT GMBH

Leunastrasse 50
Hamburg 22761
Tel + +49 0 4085150552
Mail info@gotthardt-yacht.de

CANADA
PAYNES MARINE

2120 Quadra Street
Victoria, British Columbia V8T 4C5
Tel +1 800 663 7483
Mail sales.paynes@mercmarine.com

CANADA
PAYNES MARINE

1-900 Winston Churchill Blvd
Oakville ON L6J 7X5
Tel +1 800 668 8223
Mail sales.paynes@mercmarine.com

CHINA
STORM FORCE MARINE

1901 Dominion Centre, 43-59
Queens Road East, Wanchai
Tel +852 2866 0114
Mail sales@stormforcemarine.com

CROATIA
UNIMAR

Preluk 6, 51000
Rijeka
Tel +003 85 51 512 680
Mail info@unimar.org

CYPRUS
NAUTILUS NAYTILIAKA LTD

Alexandrias 4
Limassol TT3013
Tel + 003 57 25383832
Mail nautiluscy@cytanet.com.cy

DENMARK
HERMAN GOTTHARDT GMBH

Leunastrasse 50
Hamburg 22761
Tel + +49 0 4085150552
Mail kl@gotthardt-yacht.de

FINLAND
OY MARITIM AB

Veneentekijäntie 1
Helsinki 00210
Tel +358 10 2740300
Mail info@maritimshops.fi

FRANCE
INTERDIST SAS

Rue Des Bregeons, Zac Des Mottais
CS 41837 Saint Malo, Cedex 35418
Tel + 33 0 2 99 19 54 54
Mail info@interdist.fr

GERMANY
HERMAN GOTTHARDT GMBH

Leunastrasse 50
Hamburg 22761
Tel +49 0 4085150552
Mail info@gotthardt-yacht.de

GREECE
NAUTILUS

38 Posidonos Av, Alimos
Athens 174 55
Tel +30 210 9854238
Mail info@nautilus.gr

HONG KONG
STORM FORCE MARINE

1901 Dominion Centre, 43-59
Queens Road East, Wanchai
Tel +852 2866 0114
Mail sales@stormforcemarine.com

ITALY
OSCUATI S.P.A

Via Pacinotti 12, Segrate
Milan, 20090
Tel +39 02 269 9111
Mail info@osculati.it

JAPAN
INDUSTRIAL SUPPLIERS CO. LTD.

NAC Minato Building 2F, 2-1-24
Kaigan, Minato-Ku, Tokyo 105-0022
Tel +81 3 5443 823
Mail sales@isco.co.jp

MALTA
YACHTING PARTNERS MALTA

183/4, Marina Street, Pieta
PTA9042
Tel +356 2125 2727
Mail info@ypm.com.mt

MONTENEGRO
UNIMAR S.R.L.

Preluk 6, 51000
Rijeka
Tel +003 85 51 512 680
Mail info@unimar.org

NETHERLANDS
WEBASTO THERMO & COMFORT

Constructieweg 47, 8260 AA
Kampen, 8260 Kampen
Tel +31 38 3371137
Mail info.nl@webasto.com

NEW ZEALAND
KIWI YACHTING

Unit 4, 118 Asquith Avenue
Mt Albert, Auckland, 1025
Tel +64 9360 0300
Mail sales@kiwiyachting.co.nz

PALMA
VICKERS YACHT CONSULTANCY

Av Joan Miro 3a, Piso 1, Local C
I-slas Balears 07014
Tel +34 871 180 241
Mail info@vickersyachtconsultancy.com

PORTUGAL
EQUIP YACHTS S.L.

Planta, 92 4a
Barcelona, 8039
Tel +34 932 219 219
Mail equipyacht@equipyacht.com

POLAND
WEBASTO PETEMAR

Warszawska 205/219
Lomianki 05-092
Tel +48 22 732 73 70
Mail webasto.petemar@webasto.com

SLOVENIA
UNIMAR S.R.L

Preluk 6, 51000
Rijeka
Tel +003 85 51 512 680
Mail info@unimar.org

SOUTH AFRICA
CENTRAL BOATING PTY. LTD.

85 Bree Street
Cape Town 8001
Tel +27 21 424 8026
Mail info@centralboating.com

SPAIN
EQUIP YACHTS S.L.

Planta, 92 4a
Barcelona, 8039
Tel +34 932 219 219
Mail equipyacht@equipyacht.com

SWEDEN
THERMOPRODUKTER

Dragonvagen 6, 392 39
Kalmar, Sweden
Tel +46 0 480 425880
Mail info@thermoprodukter.se

SWITZERLAND
BUCHER + WALT

Route de Soleure 8
CH-2072 St-Blaise
Tel +41 32 755 9500
Mail info@bucher-walt.ch

TAIWAN
DRAGONSHORE LTD.

No 2-3 SinSing Street, 80347
Kaohsiung, Kaohsiung, Taiwan, 80247
Tel +886 0 2 6602 1208
Mail admin@dragonshore.com

THAILAND
SAIL IN SIAM CO. LTD.

74/1-9 Moo 4 Sukhumvit
Highway (km 157) Pattaya 20250
Tel +66 94 552 0829
Mail info@sailinsiam.com

UNITED ARAB EMIRATES
NATHEER TECHNICAL SERVICES

Al Ghusais, Industrial Area No.3
Dubai, 85186
Tel +97 142 67 4450
Mail info@ntsuae.com

UNITED KINGDOM
IMP

RO24 3-4 Jarman Way
Royston, Hertfordshire
Tel +44 0 1763 241300
Mail sales@improducts.co.uk

USA
DOMETIC US BLIND SYSTEMS

91 Manchester Valley Road
Building E, Vermont 05255
Tel +1 802 362 5258
Mail blindsystems@dometic.com