

SKYSOL2 Shape 15 - Trapezoid

Order Form and Product Guide


Customer _____
 Address _____

Tel _____
 Mobile _____
 Email _____

Order _____
 Quote _____
 Date _____
 Project Name _____
 Project Location _____

1	2	3	4	5	6	7	8	9	10		11		12		13
Blind	Window Location	Fabric	Blind or Recess	Hardware Colour	Blind Type	2 Bar or 3 Bar	3 Bar Cord Quick Tensioners ¹	Stack Position	Fixing position / Reference ^{2,3}		Manual control options		Powered options ⁵		Qty
									Top Of Blind	Bottom Of Blind	Pull Cord Position	Handle Type			
1			Blind Recess	Beige White Graphite	AB (0° - 30°) DB (30° - 60°) PB (60° - 90°)	2 Bar 3 Bar	Yes No Manual Blinds only	Top Bottom	Face fix	FR2 FP3 CD2 ND2	Not Available on this shape	Clear (for control rod) Rod Length (mm) _____ Qty _____ Webbing Articulating Fixed Handle Plastic ³ Metal Nickel Metal Chrome	Motor Position Top Bottom		
									Manual - HR3						
									Powered - XL3						
									Recess fix						
									Manual - HR1	FR1 FP1			Motor Wire exit point Left Right Centre		
									Powered - XL1	CD1 ND1			Control Switch constant Switch Radio		
2			Blind Recess	Beige White Graphite	AB (0° - 30°) DB (30° - 60°) PB (60° - 90°)	2 Bar 3 Bar	Yes No Manual Blinds only	Top Bottom	Face fix	FR2 FP3 CD2 ND2	Not Available on this shape	Clear (for control rod) Rod Length (mm) _____ Qty _____ Webbing Articulating Fixed Handle Plastic ³ Metal Nickel Metal Chrome	Motor Position Top Bottom		
									Manual - HR3						
									Powered - XL3						
									Recess fix						
									Manual - HR1	FR1 FP1			Motor Wire exit point Left Right Centre		
									Powered - XL1	CD1 ND1			Control Switch constant Switch Radio		

Dimensions for:
 Blind 1
 Blind 2




DIMENSIONS

A	
B	
C	
D	
E	
F	

Incline



Dimensions for:
 Blind 1
 Blind 2



DIMENSIONS

A	
B	
C	
D	
E	
F	

Incline



- Quick Tensioners are fitted to the guide wires on all 3 bar blinds and optional on cords
- See Manual Fixing Configurations on [page 2](#) and Powered Fixing Configurations on [page 3](#)
- Colour matched to hardware colour.
- Webbing handles cannot be fitted to Honeycomb blinds.
- Please fill in a Powered Accessories Custom Order Form

◊ Obtuse Edge Recess Deductions

	Top Stack	Bottom Stack
Powered	40mm[1 5/8"]	5mm[3/16"]
Manual	20mm [13/16"]	5mm[3/16"]

Additional requirements.




DOMETIC

SKYSOL2 Shape 15 - Trapezoid


Order Form and Product Guide

Manual Fixing Configurations


Recess Fix




2 BAR RECESS FIXED
BLIND Type:
AO



2 BAR FOOTPLATE RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




2 BAR DOME RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




3 BAR RECESS FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB


Face Fix




2 BAR FACE FIXED
BLIND Type:
AO



2 BAR FOOTPLATE FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB



2 BAR DOME FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB




3 BAR FACE FIXED
BLIND Types:
AO-DB, AO-DBE,
AB, DB, DBE, PB

SKYSOL2 Shape 15 - Trapezoid

Order Form and Product Guide


Powered Fixing Configurations

Recess Fix



XL1


2 BAR RECESS FIXED
BLIND Type:
A0



XL1

FP1

2 BAR FOOTPLATE RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,



XL1


CD1

Chrome

ND1

Nickel

2 BAR DOME RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,




XL1

FR1


3 BAR RECESS FIXED
BLIND Types:
A0-DB, A0-DBE,
AB, DB, DBE, PB

Face Fix



XL3


2 BAR FACE FIXED
BLIND Type:
A0



XL3

FP3

2 BAR FOOTPLATE FACE FIXED
BLIND Types:
A0-DB, A0-DBE,



XL3


CD2

Chrome

ND2

Nickel

2 BAR DOME FACE FIXED
BLIND Types:
A0-DB, A0-DBE,



XL3

FR2C

3 Bar FACE FIXED
BLIND Types:
A0-DB, A0-DBE,
AB, DB, DBE, PB