
### **PRODUCT INFO**

# **DOMETIC OCEANAIR** SKYSCREEN PLEATED

This compact and lightweight pleated hatch blind is easy to use with integrated, magnetic handles. Its slim cassette ensures minimal impact on headroom. Available with single pleat fabric as standard, or with Honeycomb fabric for complete blackout.

STYLISH DESIGN SLIM CASSETTE SPACE SAVING LIGHTWEIGHT AND COMPACT





Mobile living made easy.

# LOW PROFILE MAXIMISES INTERIOR SPACE



Dometic Oceanair Skyscreen Pleated has a low profile design to maximise headroom in the cabin. Lightweight and compact, the blind is easy to use with integrated, magnetic handles. Its stylish powder coated aluminium cassette is also very durable, while the flyscreen allows air into the cabin for a fresh interior. A blackout only option is available for fixed hatches that do not open. The full skyscreen range provides a completely clear hatch aperture when the blinds are stowed, ensuring you can enjoy an unobstructed view.

# BENEFITS WITH SKYSCREEN PLEATED

- Stylish powder coated aluminium cassette is also very durable
- Slim cassette ensures minimal impact on headroom
- Easy to use lightweight blind with integrated, magnetic handles
- Suitable for angled hatches (shaped)
- Concealed or surface mounted option
- Brush strip to keeps insects out
- White or beige hardware colour

### SPECIFICATIONS

MANUAL CONTROLS	Easy Reach Pull-to-Shut Magentic Closure			
BLIND FORMAT	Full Travel			
	- (Fabric / Flyscreen)			
	Meet in the Middle			
	- (Fabric / Fabric)			
	- (Flyscreen / Flyscreen)			
FABRIC	White (Honeycomb or Pleated)			
	Beige (Honeycomb or Pleated)			
	Flyscreen (Pleated)			
HARDWARE	White			
	Beige			
LINER	No Liner			
	28mm Liner			
	35mm Liner			
	42mm Liner			
	50mm Liner			
	60mm Liner			
	80mm Liner			
PRE-DEFINED HATCH	Lewmar			
SIZES	Bomar			
	Taylor			
	Gebo			



### dometic.com

## LOW PROFILE MAXIMISES INTERIOR SPACE



SKYSCREEN PLEATED TECHNICAL DATA PRODUCT CODE: SPA					
No. of Fabrics	2				
	Aperture (X / Y)				
Min Width (X)	130mm (5 <sup>1/8°</sup> )				
Max Width (X)	1070mm (42 <sup>1/8°</sup> )				
Min Drop (Y)	85mm (3 <sup>3/8°</sup> )				
Max Drop (Y)	2000mm (78 <sup>3/4°</sup> )				
	External (A / B)				
Min Width (A)	210mm (8 <sup>1/4*</sup> )				
Max Width (A)	1150mm (45 <sup>1/4</sup> ")				
Min Drop (B)	205mm (8 <sup>1/16°</sup> )				
Max Drop (B)	2220mm (87 <sup>3/8</sup> ")				
Product Depth	25.2mm (1°)				

#### SKYSCREEN PLEATED STANDARD SIZES

#### SKYSCREEN PLEATED STANDARD SIZES

SIANDARD SIZES		SIANDARD SIZES					
CODE	MANUFACTURER	WIDTH (X)	DROP (Y)	CODE	MANUFACTURER	WIDTH (X)	DROP (Y)
00	Lewmar	210mm (8 <sup>1/4"</sup> )	210mm (8 <sup>1/4</sup> ")	1212	Taylor	305mm (12")	305mm (12°)
03	Lewmar	230mm (9 <sup>1/16"</sup> )	175mm (6 <sup>7/8"</sup> )	1717	Taylor	430mm (16 <sup>15/16"</sup> )	430mm (16 <sup>15/16"</sup> )
10	Lewmar	259mm (10 <sup>3/16"</sup> )	259mm (10 <sup>3/16"</sup> )	2020	Taylor	502mm (19 <sup>3/4"</sup> )	502mm (19 <sup>3/4"</sup> )
20	Lewmar	346mm (13 <sup>5/8"</sup> )	201mm (7 <sup>15/16</sup> ")	2222	Taylor	559mm (22 <sup>°</sup> )	559mm (22 <sup>°</sup> )
30	Lewmar	455mm (17 <sup>15/16"</sup> )	326mm (12 <sup>13/16"</sup> )	80.20.10	Gebo	200mm (7 <sup>7/8"</sup> )	200mm (7 <sup>7/8"</sup> )
40	Lewmar	419mm (16 <sup>1/2"</sup> )	419mm (16 <sup>2/4"</sup> )	80.20.20	Gebo	325mm (12 <sup>13/16"</sup> )	185mm (7 <sup>5/16</sup> ")
41	Lewmar	419mm (16 <sup>1/2"</sup> )	175mm (6 <sup>7/8</sup> ")	80.20.27	Gebo	260mm (10 <sup>1/4*</sup> )	260mm (10 <sup>1/4"</sup> )
44	Lewmar	442mm (17 <sup>3/8</sup> ")	442mm (17 <sup>3/8"</sup> )	80.20.30	Gebo	450mm (17 <sup>11/16"</sup> )	320mm (12 <sup>5/8</sup> ")
50	Lewmar	505mm (19 <sup>7/8</sup> ")	376mm (14 <sup>13/16"</sup> )	80.20.40	Gebo	500mm (19 <sup>11/16"</sup> )	370mm (14 <sup>9/16"</sup> )
54	Lewmar	505mm (19 <sup>7/8</sup> ")	391mm (15 <sup>3/8"</sup> )	80.20.50	Gebo	500mm (19 <sup>11/16"</sup> )	500mm (19 <sup>11/16"</sup> )
60	Lewmar	505mm (19 <sup>7/8</sup> ")	505mm (19 <sup>7/8</sup> ")	80.20.60	Gebo	620mm (24 <sup>7/16"</sup> )	620mm (24 <sup>7/16"</sup> )
70	Lewmar	625mm (24 <sup>5/8</sup> ")	625mm (24 <sup>5/8"</sup> )	80.20.70	Gebo	800mm (31 <sup>2/4"</sup> )	800mm (31 <sup>2/4</sup> ")
77	Lewmar	697mm (27 <sup>7/16</sup> ")	697mm (27 <sup>7/16"</sup> )	80.20.90	Gebo	341mm (13 <sup>7/16"</sup> )	196mm (7 <sup>11/16</sup> ")
78	Lewmar	718mm (28 <sup>1/4"</sup> )	768mm (30 <sup>1/4°</sup> )	80.21.00	Gebo	410mm (16 <sup>1/8"</sup> )	410mm (16 <sup>1/8"</sup> )
1000	Bomar	273mm (10 <sup>3/4"</sup> )	273mm (10 <sup>3/4"</sup> )	80.21.30	Gebo	500mm (19 <sup>11/16"</sup> )	500mm (19 <sup>11/16"</sup> )
1011	Bomar	365mm (14 <sup>3/8"</sup> )	232mm (9 <sup>1/8</sup> ")	80.50.30	Gebo	275mm (10 <sup>13/16"</sup> )	275mm (10 <sup>13/16"</sup> )
1029	Bomar	470mm (18 <sup>1/2"</sup> )	340mm (13 <sup>3/8"</sup> )	80.50.60	Gebo	420mm (16 <sup>9/16"</sup> )	420mm (16 <sup>9/16"</sup> )
1039	Bomar	514mm (20 <sup>1/4</sup> ")	514mm (20 <sup>1/4"</sup> )	80.55.60	Gebo	420mm (16 <sup>9/16"</sup> )	420mm (16 <sup>9/16"</sup> )
1049	Bomar	638mm (25 <sup>1/8"</sup> )	638mm (25 <sup>1/8"</sup> )	80.50.80	Gebo	470mm (18 <sup>1/2"</sup> )	470mm (18 <sup>1/2</sup> ")
1070	Bomar	421mm (16 <sup>9/16"</sup> )	421mm (16 <sup>9/16"</sup> )	80.50.90	Gebo	510mm[201/16"]	510mm [201/16"]
1080	Bomar	470mm (18 <sup>1/2"</sup> )	470mm (18 <sup>1/2</sup> ")				

Dimensions are intended as a guide only - Contact your nearest distributor for further details.