

PRODUCT INFO

DOMETIC OCEANAIR SKYSOL MOTION

Skysol Motion is a contemporary, pleated blind available with a choice of fabrics. Skysol Motion's light diffusion is ideal for creating softer light in the saloon with ease and speed. When you're ready to move on, the blind can be quickly stowed away.

SUITABLE FOR INCLINES

AUTO-RETRACT
QUICK TO STOW

STYLISH
ALUMINIUM HARDWARE



AUTO-
RETRACTING



CHILD
SAFE



LIGHT
DIFFUSING

Mobile living made easy.

 **DOMETIC**

PRACTICAL AND STYLISH PLEATED BLIND



Skysol Motion uses powder coated aluminium hardware, which adds a touch of luxury to this portlight product. The lack of cords and guide wires further add to its stylish contemporary looks. Dometic Oceanair Skysol Motion can be used on inclines of any angle, meaning it's suitable for hatches or angled windows. It can also be used to accommodate simple shapes, as the blind can be easily tilted at the bottom rail. When released, the blind automatically retracts for maximum user convenience.

BENEFITS WITH SKYSOL PLEATED SHADE

- Automatically retracts when released
- Suitable for inclines
- No guide wires or loose cords
- Bottom fix hold downs available
- Choice of classic pleat or honeycomb fabrics
- Available with white or beige hardware
- Standard sizes available as well as custom designs

SPECIFICATIONS

HANDLE TYPES	Face fix
	Bottom Fix
FABRIC	Uno Privacy Fabric as Standard Collection Specified
HARDWARE	White
	Beige
	Graphite
HOLD DOWNS	Mini Grip
FIX TYPE	Top Fix
	Face Fix



PRACTICAL AND STYLISH PLEATED BLIND



SKYSOL MOTION TECHNICAL DATA

PRODUCT CODE: SMO



No. of Fabrics	1	
Min Width (X)	280mm (11")	
Max Width (X)	1500mm (59 ¹ / ₁₆ "	
Min Drop (Y)	150mm (5 ¹⁵ / ₁₆ "	
Max Drop (Y)	1000mm (39 ³ / ₈ "	
	Face Fix Handle	Bottom Fix Handle
Headrail Depth	37mm (1 ⁷ / ₁₆ "	46.6mm (1 ¹³ / ₁₆ "
Headrail Height	17mm (1 ¹ / ₁₆ "	17mm (1 ¹ / ₁₆ "
Bottomrail Height	22mm (7 ⁷ / ₈ "	16.5mm (5 ⁵ / ₈ "
Retail Sizes	Width (X)	Drop (Y)
SMO-1	350mm (13 ³ / ₄ "	400mm (15 ³ / ₄ "
SMO-2	450mm (17 ³ / ₄ "	520mm (20 ¹ / ₂ "
SMO-3	550mm (21 ⁵ / ₈ "	640mm (25 ³ / ₁₆ "
SMO-4	680mm (26 ³ / ₄ "	750mm (29 ¹ / ₂ "

Dimensions are intended as a guide only - Contact your nearest distributor for further details.